




CHANGSHA TAIHE ELECTRONIC EQUIPMENT CO,.LTD.

Pressure Sensor | Temperature Sensor | Liquid Level Sensor | Load Cell | Smart Instruments

Position sensor |Torque | Internet of Things



PPM-YB-3000 Strain Sensor



Product Introduction

The product with high-quality aviation aluminum and high-precision resistance strain gauges, it's processed by high-low temperature aging and thousands of pressure fatigue test treatments, and outputs mV signals.

A:Housing, Material, Aluminium Alloy B:Surface treatment, anodizing (black)

C: High stability, low temperature of product

D: Easy installation and maintenance

E: Electrical connections, Gasket lock, Ingress protection IP65

Applications


Bridge, dam, road and other steel structure or concrete surface stress measurement, measurement of linear deformation and stress of installation points.





Technical Parameters	
Measuring Type	Micro strain, linear deformation
Measuring Range	±3000με
Power Supply	5VDC
Output Signal	mv
Nonlinearity	≤ 0.015%FS
Repeatability	≤ 0.02%FS
Accuracy	Accuracy error: ≤2%FS
Long-term Stability	≤ 0.5%FS/Year
Operation Temp	-25°C ~ 85°C
Zero Temp. Drift	≤ 0.3%FS
FS Temp. Drift	≤ 0.3%FS
Response Time	< 3ms
Output Impedance	350Ω , $1K\Omega$
Insulation Resistance	>1000MΩ/100VDC
Overpressure	120%FS
Damage Pressure	>300FS
Materials	7075Aluminium Alloy
Ingress Protection	IP65
Electrical Connections	Cable connection

Definition of Wiring



CONTACT US

www.csppmsensor.com

Address: No. 188, Huanbao Road, Yuhua Zone, Changsha, Hunan, China

E-mail: info@csppm.com **Mobile | Wechat | WhatsApp:** +86 19118913383